

HPVR WICK - BURN CHART

The HPVR chart was based on our standard tests results. The results represent cycle of four hours, made with 145 fully paraffin wax refined.

| SV | Style | Mts/Kg | Flame Ht | Flame Ht | Consumption Rate | | Pool Diameter | |
|-------|-----------|--------|-----------|----------|------------------|----------|---------------|-------|
| | S.V | | In Inches | In Cm | Ounces/Hr | Grams/Hr | In Inches | In Cm |
| B2285 | HP 1257VR | 2532 | 0,63 | 1,60 | 0,09 | 2,64 | 1,10 | 2,80 |
| B2310 | HP 1059VR | 2132 | 0,94 | 2,40 | 0,12 | 3,44 | 1,42 | 3,60 |
| B2205 | HP 1009VR | 2033 | 0,71 | 1,80 | 0,10 | 2,82 | 1,42 | 3,60 |
| B2545 | HP 836 VR | 1684 | 1,1 | 2,80 | 0,15 | 4,26 | 1,81 | 4,60 |
| B2280 | HP 773 VR | 1558 | 1,1 | 2,80 | 0,16 | 4,50 | 1,77 | 4,50 |
| B2240 | HP 764 VR | 1538 | 1,14 | 2,90 | 0,14 | 4,08 | 1,77 | 4,50 |
| B2270 | HP 711 VR | 1433 | 1,57 | 4,00 | 0,19 | 5,51 | 1,85 | 4,70 |
| B2580 | HP 701 VR | 1412 | 1,02 | 2,60 | 0,17 | 4,76 | 1,77 | 4,50 |
| B2550 | HP 602 VR | 1212 | 1,61 | 4,10 | 0,18 | 5,01 | 1,85 | 4,70 |
| B2255 | HP 389 VR | 784 | 1,61 | 4,10 | 0,20 | 5,70 | 1,97 | 5,00 |
| B2200 | HP 312 VR | 629 | 1,65 | 4,20 | 0,22 | 6,10 | 2,01 | 5,10 |
| B2510 | HP 299 VR | 603 | 1,73 | 4,40 | 0,21 | 5,89 | 2,09 | 5,30 |
| B2520 | HP 240 VR | 484 | 1,77 | 4,50 | 0,24 | 6,78 | 2,17 | 5,50 |
| B2225 | HP 215 VR | 433 | 1,93 | 4,90 | 0,27 | 7,72 | 2,56 | 6,50 |
| B2575 | HP 209 VR | 420 | 2,05 | 5,20 | 0,29 | 8,19 | 2,64 | 6,70 |
| B2595 | HP 197 VR | 398 | 2,17 | 5,50 | 0,29 | 8,14 | 2,72 | 6,90 |
| B2597 | HP 176 VR | 354 | 2,48 | 6,30 | 0,33 | 9,39 | 2,95 | 7,50 |
| B2565 | HP 166 VR | 334 | 2,56 | 6,50 | 0,32 | 9,02 | 3,15 | 8,00 |

- Additional sizes and developments available on request

